



TALIB SALES CORPORATION

Your Trust is Our Reward.



QUALITY
PRODUCTS



RELIABLE
SUPPLY



TRUSTED
PARTNER



BUILT FOR
SAFETY

**CONSTRUCTION
MATERIALS &
SAFETY SOLUTIONS**

Building Stronger. Building Safer. Building Together.

CATALOGUE



New 72, Old 143, Coral Merchant Steet,
(Next to 144 Lungi company) Chennai-600001



Landline : 044-48551971



Cell: 9841238798, 8939544963



Email: info@talibsalescorporation.in



*Please download updated catalogue
from website*

www.talibsalescorporation.in




*Please join Instagram page
for product and offers updates*

[talibsales_corporation](https://www.instagram.com/talibsales_corporation)

SCAFFOLDING ACCESSORIES

IMAGE	ITEM NAME	TECH SPEC	SIZE / WEIGHT	PART NO	M.O.Q
	TIE ROD	HEAVY DUTY	16mm x 1 mtr	RR4581	10 nos
			16mm x 1.2 mtr	FF4482	10 nos
			16mm x 1.5 mtr	AQ5239	10 nos
			16mm x 2 mtr	EQ8479	10 nos
			16mm x 3 mtr	TT6693	10 nos
	WING NUT	HEAVY DUTY	200 grams	WN1144	200 nos
	WALLER PLATE	LIGHT DUTY	110mm x 110mm x 3mm 340 grams	WP342GM	100 nos
		HEAVY DUTY	110mm x 110mm x 6mm 600 grams	RF9841	100 nos
	WATER BARRIER	HEAVY DUTY	350 grams	WB438GM	100 nos
	LEDGER BLADE	HEAVY DUTY	150 grams	AQ3612	200 nos
	TOP CUP	HEAVY DUTY	400 grams	ED9611	100 nos
	BOTTOM CUP	HEAVY DUTY	170 grams	TG8841	200 nos

IMAGE	ITEM NAME	TECH SPEC	SIZE / WEIGHT	PART NO	M.O.Q
	HEX NUT CONNECTOR	16mm inner dia	50mm length	FG4961	100 nos
	MIVAN PIN WEDGE	MIVAN PIN (16*50)	50 grams	QA5412	1000 nos
		WEDGE	25 grams	QA3121	1000 nos
	SPIGOT PIN	HEAVY	32 x 38mm pipe 10" length 410 grams	FW6633	100 nos
			32 x 38mm pipe 12" length 540 grams	FR8591	100 nos
			32 x 38mm pipe 12" length 440 grams	ED7819	100 nos
	EXPANSION JOINT PIN	HEAVY	38 mm	QA5589	100 nos
	GUGU NUT	BIG 16mm	310 grams	DF7481	200 nos
		SMALL 12mm	155 grams	SC9661	200 nos
	GUGU JOCKEY MACHINE	HEAVY	1 kg	QA2591	10 nos
	RAPID CLAMP	a system utilizing quick - release connectors, to join scaffolding pipes and formwork components without the need for traditional nuts or bolts	4mm to 12mm	GV4591	50 nos
	BOLT NUT WASHER FOR FORGED COUPLER	12mm x 90 mm thread length 60mm	110 grams	RT8599	250 nos
	SCAFFOLDING TAG PLASTIC GREEN	A scaffolding tag holder is a durable plastic case placed at access points on scaffolding to display color- coded inspection inserts (such as green for safe, yellow for caution, or red/blank for do not use). It protects safety cards from harsh weather, dirt, and damage while communicating structural safety statuses to workers.	STANDARD	FG5561	50 nos
	SCAFFOLDING TAG HOLDER		STANDARD	QQ6633	50 nos

ANCHOR NUTS

IMAGE	ITEM NAME	SIZE	WEIGHT	PART NO	M.O.Q
	ANCHOR NUT HEAVY	90mm x 2 wing	350 grams	GB5691	100 nos
		90mm x 3 wing	405 grams	ED8511	100 nos
		100mm x 3 wing	450 grams	TG9961	100 nos
		100mm x 3 wing	510 grams	FV5594	100 nos
		125mm x 3 wing	700 grams	QQ8941	100 nos

SCAFFOLDING COUPLERS

IMAGE	ITEM NAME	TECH SPEC	WEIGHT	PART NO	M.O.Q
	SCAFFOLDING SHEET METAL COUPLER	SWIVEL 40 * 40mm	650 grams	DF4158	50 nos
		SWIVEL 40 * 50mm	750 grams	DF5244	50 nos
		SWIVEL 50 * 50mm	660 grams	QA9651	50 nos
		FIXED 40 * 40mm	500 grams	RT8511	50 nos
	SCAFFOLDING FORGED COUPLER	SWIVEL 40 * 40mm	1.18 kg	ED8555	100 nos
		SWIVEL 40 * 50mm	1.2 kg	FF5219	100 nos
		FIXED 40 * 40mm	1 kg	GG4115	100 nos
	GIRDER COUPLER (BEAM CLAMP)	STANDARD	1.6 kg	MM4582	10 nos
	LADDER COUPLER BOX	STANDARD	1.1 kg	AA4519	25 nos
	BOARD RETAINING COUPLER	STANDARD	570 grams	RD4758	25 nos
	SLEEVE COUPLER	STANDARD	920 grams	RD4815	10 nos
	COMBINATION PLATE	STANDARD	2 kg	CP3245	20 nos

PROPS & SUPPORT ACCESSORIES

IMAGE	ITEM NAME	TECH SPEC	SIZE / WEIGHT	PART NO	M.O.Q
	PROP NUT	STANDARD	520 grams	VB1489	10 nos
	PROP SLEEVE	STANDARD	900 grams	AS2561	10 nos
	LOCKING PIN G - TYPE	A locking pin for a ct prop is a crucial safety component used in construction to secure the prop's length and prevent accidental collapse or movement under load.	M10 x 16"	FG4915	10 box
	ADJUSTABLE PROP JACK U - TYPE	Adjustable prop jacks (also known as acrow props, post shores, or telescopic steel props) are essential temporary support memmbers in construction, renovation, and repair projects. They are primarily used to provide vertical stability by transferring loads from temporary or permanent structures down to a solid surface.	2 mtr x 2 mtr	RD8754	10 nos
			3 mtr x 2 mtr	FY8745	10 nos
	ADJUSTABLE PROP JACK T - TYPE	are essential temporary support members in construction, renovation, and repair projects.	2 mtr x 2 mtr	SD1474	10 nos
			3 mtr x 2 mtr	HJ5163	10 nos


ADJUSTABLE JACK					
IMAGE	ITEM NAME	TECH SPEC	WEIGHT	SIZES	PART NO
 	BASE JACK ROD TYPE	350 mm	2.6 kg	150 x 150 x 6mm	QA3614
		450 mm	3.2 kg	150 x 150 x 6mm	ED8745
		600 mm	6 kg	150 x 150 x 6mm	ED7489
	BASE JACK PIPE TYPE	350 mm	2 kg	150 x 150 x 6mm	—
		450 mm	2.5 kg	150 x 150 x 6mm	RD2164
		600 mm	3 kg	150 x 150 x 6mm	—
 	U JACK ROD TYPE	350 mm	3 kg	28mm Rod x U Shape 4" x 2"	FF5517
		450 mm	3.2 kg	28mm Rod x U Shape 4" x 2"	QA3265
		600 mm	3.8 kg	28mm Rod x U Shape 4" x 2"	ED7744
	U JACK PIPE TYPE	350 mm	2.1 kg	28mm Rod x U Shape 4" x 2"	—
		450 mm	2.5 kg	28mm Rod x U Shape 4" x 2"	—
		600 mm	3.1 kg	28mm Rod x U Shape 4" x 2"	QA5211

CUPLOCK SYSTEMS

IMAGE	ITEM NAME	SIZE	WEIGHT	PART NO	M.O.Q
	CUPLOCK HORIZONTAL	1 mtr	3 kg	GG5619	25 nos
		1.2 mtr	3.5 kg	AA5478	25 nos
		2 mtr	6.5 kg	SD8745	25 nos
	CUPLOCK VERTICAL	1.5 mtr	6.5 kg	SD4475	25 nos
		2 mtr	8.5 kg	SD5479	25 nos
		3 mtr	12.5 kg	HB5614	25 nos

SHUTTERING CLAMP (SHIKANJA)

IMAGE	ITEM NAME	SIZE	WEIGHT	PART NO	M.O.Q
	SHIKANJA ECO	2 feet	870 grams	SH800G	25 nos
		2.5 feet	1 kg	SH2533	
	STRIP WIDTH 25mm	3 feet	1.1 kg	RF9966	
	STRIP THICKNESS 5.2mm	4 feet	1.45 kg	ER4782	
	SHIKANJA HEAVY	2 feet	1.32 kg	TQ5561	25 nos
		2.5 feet	1.7 kg	QQ3362	
	STRIP WIDTH 32mm	3 feet	1.8 kg	RF9514	
	STRIP THICKNESS 6mm	4 feet	1.94 kg	GB4915	
	CLAMP 20mm TMT	7" X 7"	350 grams	HN5691	25 nos

BASE PLATES, PIPE & WALKWAY ACCESSORIES					
IMAGE	ITEM NAME	SIZE	WEIGHT	PART NO	M.O.Q
	BASE PLATE WITH PIPE	150 *150 * 5mm	1.18 kg	RF7419	25 nos
		30 * 38 * 170mm pipe			
	BASE PLATE WITHOUT PIPE	150 x 150 x 5mm	880 grams	AZ5566	25 nos
IMAGE	ITEM NAME	USAGE	SIZE	PART NO	M.O.Q
	MS PIPE	Mild steel (MS) pipes are strong, flexible, and low-cost tubes made from low-carbon steel. They are widely used for building frameworks, carrying water and gas, and making furniture because they are very easy to cut and weld.	48mm x 6mtr	UC4682	20 nos
	MS SQUARE PIPE	Mild steel (MS) pipes are strong, flexible, and low-cost tubes made from low-carbon steel. They are widely used for building frameworks, carrying water and gas, and making furniture because they are very easy to cut and weld.	50mm x 50mm	SA2141	20 nos
	JACK NUT	A scaffolding jack nut is a heavy-duty threaded component used with base jacks and U-head props to adjust height and level structures on uneven ground. It is manually turned along the threaded stem to raise or lower the scaffold leg, locking the vertical load securely in place.	38mm	DD4821	10 nos
	WALK WAY CHALI	A walkway "chali" (also called a scaffolding plank, steel board, or khapeda) is a heavy-duty mild steel platform used in construction and industrial sites to provide a safe, anti-skid horizontal surface for workers and tools at elevated heights.	6 ft x 1 ft	SD4554	25 nos
			8 ft x 1 ft	QW5474	25 nos

THREADED ROD

IMAGE	ITEM NAME	TECH SPEC	SIZE	PART NO	M.O.Q
	THREADED ROD	HEAVY	8mm x 1 mtr	FG4894	100 mtr
			8mm x 2 mtr	HJ7481	100 mtr
			8mm x 3 mtr	GB4859	100 mtr
			10mm x 1 mtr	FV5291	100 mtr
			10mm x 2 mtr	YH8530	100 mtr
			10mm x 3 mtr	ED4851	100 mtr
			12mm x 2mtr	DF7744	100 mtr
			12mm x 3mtr	ED9851	100 mtr

NYLON PP DANLINE ROPE

IMAGE	ITEM NAME	ROPE DIA (MM)	BREAKING STRENGHT KGF	220M WT (KGS)	PART NO
 	NYLON PURE VIRGIN ROPE	6	602	0.40	LM4112
		8	1060	0.90	LL7841
		10	1560	1.60	KK2561
		12	2210	2.50	GB2251
		14	3050	3.60	HB5561
		16	3770	4.90	AZ3622
		18	4810	6.40	NB5561
		20	5800	10.00	HN5261
		22	6960	14.40	LI5677
		24	8130	19.60	QA5911
		30	12220	25.60	HN5194
 	NYLON REPROCESS ROPE	6	602	48.40	LM4451
		8	1060	57.60	LK5123
		10	1560	67.60	HJ5561
		12	2210	78.40	AZ5591
		14	3050	90.00	KM4451
		16	3770	102.40	FF5691
		18	4810	115.60	JN5914
		20	5800	129.60	LW5163
		22	6960	144.40	NM2213
		24	8130	160.00	LQ5691
		32	13500	176.40	HB5641

CONCRETE TESTING EQUIPMENTS

IMAGE	ITEM NAME	DESCRIPTION	WEIGHT	PART NO	M.O.Q
	SLUM CONE SET	To determine workability of fresh concrete	BASKET 3.000 kg	HJ1596	1 nos
			CONE 1.500 kg		
			ROD 1.000 kg		
	CONCRETE MEASUREMENT BOX	A concrete measurement box (or gauge box/"farma") is a standardized metal or wooden container used in volume batching to measure exact proportions of sand, gravel, and cement for consistent structural strength.	1 cft (CUBE FEET)	SD4751	10 nos
	CONCRETE FLOW TEST TABLE	700mm x 700mm	WEIGHT 15 kg	AM7485	1 nos
			WOODEN HANDLE 350 grams		

IMAGE	ITEM NAME	SIZE	WEIGHT	PART NO	M.O.Q
	CUBE MOULD ISI	150mm x 150mm	14 kg	FG1591	2 nos
	CUBE MOULD NON ISI	150mm x 150mm	7 kg	RP8547	2 nos
	WHEEL BARROW 2 WHEEL	80 ltr capacity	22.5 kg	SE8541	1 nos

SCAFFOLDING WATER STOPPER

IMAGE	ITEM NAME	USAGE	SIZE	PART NO	M.O.Q
	PVC WATER STOPPER (COMMERCIAL QUALITY)	A PVC water stopper is a flexible plastic strip embedded in concrete joints to block water leaks. It acts as a physical barrier against hydrostatic pressure in structures like basements, water tanks, swimming pools, tunnels, and dams.	150mm x 6mm	BN5961	25 mtr
			150mm x 8mm	RF8511	25 mtr
			230mm x 6mm	FB5961	25 mtr
			230mm x 8mm	FC5487	25 mtr
			300mm x 8mm	QA2222	25 mtr
			300mm x 10mm	HG1234	25 mtr
	PVC WATER STOPPER (VIRGIN QUALITY)	A PVC water stopper blue is a flexible plastic strip embedded in concrete joints to block water leaks. It acts as a physical barrier against hydrostatic pressure in structures like basements, water tanks, swimming pools, tunnels, and dams.	150mm x 6mm	HG5169	25 mtr
			230mm x 6mm	QA5641	25 mtr
			230mm x 8mm	KM6591	25 mtr

SWELLABLE BAR

IMAGE	ITEM NAME	USAGE	SIZE	PART NO	M.O.Q
	SWELLABLE BAR	A swellable bar (or water bar/waterstop) is a hydrophilic rubber or bentonite strip that expands up to 300% or more upon contact with moisture. It creates an active, tight seal in concrete structures to block water leaks through joints.	20mm x 5mm x 10 mtr	HT8457	10 mtr
			20mm x 10mm x 10 mtr	GV5594	10 mtr

PVC FOOT STEPS

IMAGE	ITEM NAME	SIZE	WEIGHT	PART NO	COLOUR
	PVC FOOT STEP	265 x 165 x 25mm	8mm - 540 grams	FK4591	ORANGE
			10mm - 680 grams	AZ3991	
			12mm - 780 grams	GH5591	
	FOOT STEP ANCHOR TYPE	170 x 165 x 25mm	1 kg	SF8475	ORANGE

SHADE NET FOR CONSTRUCTION

IMAGE	DESCRIPTION	TECH SPEC	SIZE	PART NO	M.O.Q
	SHADE NET 50% 75% 90% MADE UP OF VIRGIN QUALITY	50% SHADE	1.5 mtr x 50 mtr	RF8510	10 nos
		50% SHADE	3 mtr x 50 mtr	QA6325	10 nos
		75% SHADE	3 mtr x 50 mtr	QA3611	10 nos
		90% SHADE	3 mtr x 50 mtr	RF8851	10 nos

HESSIAN CLOTH FOR CURING PURPOSE

IMAGE	THICKNESS	CUT SIZE	BALE MEASUREMENT	PART NO	M.O.Q
	5 OZ	1 x 150 SQUARE YARDS	2000 YARDS PER BALE	68T-18R	26 nos
		1 x 50 SQUARE YARDS			

IMAGE	ITEM NAME	THICKNESS	SIZE	PART NO	M.O.Q
	HESSIAN CLOTH OLD	17 OZ	22" (width) x 40 (length) 27 SQUARE YARD	SB2614	5 nos
			36" (width) x 40 (length) 27 SQUARE YARD	LK8946	5 nos

IMAGE	ITEM NAME	THICKNESS	SIZE	PART NO	M.O.Q
	LDPE BLACK SHEET	200 MICRON (THICKNESS)	6 ft x 200 ft	SA8754	2 (roll)

TARPAULIN FOR INDUSTRIAL

IMAGE	COLOUR	THICKNESS (GSM)	SIZE (FEET x FEET)	PART NO	M.O.Q
  	ORANGE / YELLOW	120 GSM	6 ft * 9 ft	AZ3611	49 nos
			9 ft * 12 ft	QA1159	30 nos
			9 ft * 15 ft	WS4891	25 nos
			12 ft * 12 ft	QP7481	25 nos
			12 ft * 15 ft	QA2859	10 nos
			12 ft * 18 ft	YH8451	15 nos
			12 ft * 24 ft	LK7844	10 nos
			12 ft * 30 ft	VB4812	8 nos
			15 ft * 18 ft	QA3267	10 nos
			18 ft * 24 ft	DF7849	6 nos
			18 ft * 30 ft	YH5912	6nos
			20 ft * 30 ft	FV4896	5 nos
			20 ft * 40 ft	TG7849	4 nos
			24 ft * 30 ft	ED7891	4 nos
			30 ft * 30 ft	QA8591	3 nos
			30 ft * 40 ft	ED4598	3 nos
			40 ft * 40 ft	WE7841	2 nos
			40 ft * 60 ft	YH7489	1 nos
			60 ft * 60 ft	QK5291	1 nos
	BLUE	180 GSM	18 ft * 24 ft	RF5591	10 nos
			30 ft * 30 ft	DR4891	5 nos
			30 ft * 40 ft	GH5599	5 nos
			40 ft * 40 ft	RF9511	2 nos

IMAGE	COLOUR	THICKNESS (GSM)	SIZE (FEET x FEET)	PART NO	M.O.Q
	BLACK	180 GSM	6 ft * 9 ft	ED7841	25 nos
			9 ft * 12 ft	ED4819	20 nos
			9 ft * 15 ft	QD5291	14 nos
			12 ft * 12 ft	QA1111	15 nos
			12 ft * 15 ft	VB4859	15 nos
			12 ft * 18 ft	QA3911	8 nos
			12 ft * 24 ft	EN1489	6 nos
			12 ft * 30 ft	BN4815	5 nos
			15 ft * 18 ft	EL4519	7 nos
			18 ft * 24 ft	DF7819	4 nos
			18 ft * 30 ft	GH4819	4 nos
			20 ft * 30 ft	GH8491	3 nos
			20 ft * 40 ft	TH4591	3 nos
			24 ft * 30 ft	ER4519	3 nos
			30 ft * 30 ft	QE4581	2 nos
			30 ft * 40 ft	ER1594	1 nos
			40 ft * 40 ft	QW4981	1 nos
			40 ft * 50 ft	FG7489	1 nos
			40 ft * 60 ft	HJ4591	1 nos
			60 ft * 60 ft	FG4891	1 nos
	YELLOW	120 GSM	15 ft * 18 ft	LM7481	10 nos
			18 ft * 24 ft	YH8449	10 nos
			18 ft * 30 ft	VB5944	8 nos
			20 ft * 30 ft	GV5491	6 nos
			24 ft * 30 ft	LK8491	5 nos
			30 ft * 30 ft	HJ4915	4 nos
			30 ft * 40 ft	VB1122	3 nos
			40 ft * 40 ft	FC5594	2 nos

FALL ARREST SAFETY NET

IMAGE	ITEM NAME	SIZE	PART NO	M.O.Q
	SAFETY 2 LAYER	3 mtr x 10 mtr	GB5294	5 nos
		5 mtr x 10 mtr	GH4519	5 nos
	SAFETY NET 3 LAYER (THIRD LAYER - SHADE NET)	3 mtr x 10 mtr	GB4411	5 nos
		5 mtr x 10 mtr	FF5121	5 nos
	SAFETY NET 3 LAYER (THIRD LAYER - MONOFILAMENT)	3 mtr x 10 mtr	FG4519	5 nos
		5 mtr x 10 mtr	GH5491	5 nos

CANVAS TARPULIN FOR INDUSTRIAL

IMAGE	ITEM NAME	GSM	SIZE	PART NO	M.O.Q
	CANVAS GREEN TARPULIN	450 (GSM)	18 ft x 24 ft	TG5612	2 nos
			24 ft x 30 ft	GB5591	2 nos
			30 ft x 30 ft	GB9514	1 nos
			30 ft x 40 ft	QQ2269	1 nos
			40 ft x 40 ft	ER7489	1 nos


NAILS & BINDING WIRE FOR CONSTRUCTION

IMAGE	ITEM NAME	USAGE	SIZE	PART NO	M.O.Q
	CONCRETE NAILS	Concrete nails, or masonry nails, are hardened high-carbon steel fasteners designed to pierce dense materials like concrete, brick, and mortar without bending. They are used to attach wood framing, furring strips, electrical clips, or light fixtures to masonry walls.	1.5" inch	SR5847	25 kg
			2" inch	SD5874	25 kg
			2.5" inch	SA5474	25 kg
			3" inch	DF4581	25 kg
			4" inch	SQ2145	25 kg
	MS WIRE NAILS	used primarily for general carpentry, wood construction, furniture making, packaging, and light structural framing. They feature a flat head and diamond point for smooth driving into timber.	1.5" x 10 swg	RR8953	25 kg
			1.5"x 13 swg	RR8593	25 kg
			2" x 12 swg	FR5847	25 kg
			2.5" x 10 swg	FS8745	25 kg
			3" x 8 swg	LM2517	25 kg
			4"x 6 swg	DR8754	25 kg
	BINDING WIRE	Binding wire is a thin, flexible mild steel or galvanized wire primarily used in construction to tie reinforcement bars (rebars) and keep them firmly in place before pouring concrete. It is also widely used for packaging, fencing, and bundling materials	18 swg (gi)	FG7419	25 kg
			20 swg (gi)	TL5588	25 kg
			18 swg (ms)	TG9966	25 kg
			18 swg (ms)	ED4859	25 kg

GHAMELA FOR CONSTRUCTION

IMAGE	ITEM NAME	QUALITY	SIZE	PART NO	M.O.Q
	PVC GHAMELA	VIRGIN QUALITY	15" inch	AA9617	25 nos
			17" inch	RT1152	
			19" inch	RT1598	
		SECOND QUALITY	15" inch	ER1458	25 nos
			17" inch	QA3912	
			19" inch	DF4891	
	GI GHAMELA	HEAVY	16" inch	ZA3366	25 nos
			18" inch	WS9967	
			20" inch	FF5591	

REBAR & FORMING ACCESSORIES

IMAGE	ITEM NAME	TECH SPEC	SIZE	PART NO	M.O.Q
	REBAR CAP FOR CONSTRUCTION	MUSHROOM TYPE	8mm to 16mm	BN1594	100 nos
		MUSHROOM TYPE	18mm to 32mm	VB4591	100 nos
		DRUM TYPE	8mm to 16mm	DR1245	500 nos
		DRUM TYPE	18mm to 32mm	DR5748	500 nos
	PVC BUSH FOR WATER BARRIER	A PVC bush (or water-stopper bush/plug) used for water barrier applications acts as a physical plug or sleeve in concrete walls, formwork tie-rod holes, or pipe penetrations to block water seepage. It creates a tight seal against moisture in retaining walls, basements, and tanks.	STANDARD	RT8593	2000 nos
	PVC CONE FOR TIE ROD	A PVC cone for tie rods is a plastic accessory used in concrete formwork. It spaces panels, stops concrete from sticking to the metal rod, and makes rod removal easy after the pour.	STANDARD	QA5812	2000 nos
	PVC COVER BLOCK	PVC cover blocks are plastic spacers used in reinforced concrete construction to hold steel rebar bars away from the formwork. They ensure a precise concrete gap, prevent rebar shifting during pours, stop rust stains, and protect steel from moisture and corrosion.	20 mm to 25mm	RD8475	500 nos
			30mm to 40mm	TR8457	500 nos
			45mm to 50mm	ST5484	500 nos
			60mm to 75mm	DE5487	500 nos
	TIE ROD HOLE CAP (GREEN)	A green tie rod hole cap (or PVC cone/plug used in concrete formwork) is a plastic accessory used during wall construction to plug, seal, or finish tie rod penetration voids, preventing water leakage and protecting structural integrity	25 mm	QH8945	500 nos
	CONCRETE COVER BLOCK	Concrete cover blocks act as structural spacers placed beneath or around steel reinforcement bars (rebars) before pouring concrete. They maintain a precise, uniform gap between the steel mesh and the outer formwork, ensuring the rebar is fully encased and protected to guarantee building longevity and safety	20 x 25 x 40 x 50mm	AQ5741	1000 nos
	LINE DORI	SMALL	1mm x 15 mtr	QA3999	200 packages
	PVC CONDUIT PIPE	LIGHT	20mm - 3 mtr	WS8541	100 nos
		HEAVY	25mm - 3 mtr	ED8547	50 nos

MESH & PLASTERING ACCESSORIES

IMAGE	ITEM NAME	USAGE	SIZE	PART NO	M.O.Q
	CHICKEN MESH (PLASTERING)	Chicken mesh in plastering acts as a flexible metal or fiberglass reinforcement layer. It stops cracks from forming, improves mortar grip, and bridges gaps where different building materials meet, such as concrete columns and brick walls.	2 ft x 10 mtr	LM5491	10 (rolls)
			3 ft x 10 mtr	FV5299	10 (rolls)
	DIAMOND MESH	Diamond mesh—whether woven as a chain link or expanded from metal sheets—is used for security fencing, wall and plaster reinforcement, machine safety guards, and architectural infill panels due to its high strength-to-weight ratio and durability.	6" x 10 mtr	SA2541	10 (rolls)
			6" x 8 mtr	GF5691	
	FIBRE MESH	Fibre mesh is a high-tensile reinforcement material used in construction and repair work to control shrinkage, distribute mechanical stress evenly, and prevent surface cracks in plaster, mortar, and concrete.	4" x 50 mtr	SP5264	20 nos
			6" x 50 mtr	UP8555	

THERMOCOL & PACKING MATERIALS					
IMAGE	ITEM NAME	USAGE	SIZE	PART NO	M.O.Q
	THERMOCOL SHEET (ECO)	Eco-labeled thermocol sheets are made from expanded polystyrene (EPS). They are lightweight foam panels used for protective product packaging, building insulation, and craft projects. While often marketed as eco-friendly due to recyclability or energy-efficient manufacturing, standard EPS does not break down naturally.	1000mm x 500mm x 12mm	JK1000	80 nos (1 bundle)
			1000mm x 500mm x 20mm	HJ5910	50 nos (2 bundle)
			1000mm x 500mm x 25mm	GH5691	40 nos (2 bundle)
			1000mm x 500mm x 40mm	LP4581	20 nos (2 bundle)
			1000mm x 500mm x 50mm	LM4459	26 nos (2 bundle)
			1000mm x 500mm x 75mm	FV5691	13 nos (2 bundle)
			1000mm x 500mm x 100mm	KL4581	10 nos (2 bundle)
	BOPP BROWN TAPE	BOPP brown tape (Biaxially Oriented Polypropylene) is a high-strength, sticky plastic tape. People use it most for sealing cardboard boxes, shipping parcels, and packing items for moving or storage. Its brown color matches regular carton boxes for a clean look.	2" x 25 mtr	AS2231	1 carton
			2" x 40 mtr	MN5914	1 carton
			3" x 25 mtr	BB2361	1 carton
			3" x 40 mtr	GH5169	1 carton
			4" x 25 mtr	TG5691	1 carton
	BOPP CONCRETE TAPE	BOPP (Biaxially Oriented Polypropylene) concrete tape—commonly known as shuttering tape or centering tape—is a heavy-duty adhesive tape used in civil construction and concrete casting.	3" x 100 mtr	SX3699	2 carton

WASTE CLOTH FOR INDUSTRIAL

IMAGE	USAGE	ITEM NAME	MATERIAL	PART NO	M.O.Q
   	Waste cloth for industrial use commonly known as industrial rags, wiping cloth, or hosiery waste consists of leftover, scrap, or recycled textile pieces used for heavy-duty cleaning, machine maintenance, and oil absorption. These materials are usually sourced as offcuts from garment manufacturing units and sorted by size and fabric type	SHIRT	MIX	FC5591	50 kg
			POLY	AZ3699	50 kg
			PURE COTTON	FC5961	50 kg
		T - SHIRT	T-SHIRT (BANIAN COLOUR)	RR5941	50 kg
			SWEAT SHIRT	AS5591	50 kg
		BANIAN WHITE	BANIAN WHITE - Q1	AZ3694	50 kg
			BANIAN WHITE - Q2	QA5591	50 kg
		THREAD WASTE	COLOUR	AZ6351	50 kg
			WHITE	CC4651	50 kg

HAND TOOLS & SITE EQUIPMENT

IMAGE	ITEM NAME	USAGE	MATERIAL	PART NO	M.O.Q
	CROW BAR	A crowbar is a hardened steel hand tool that uses leverage to pry objects apart, lift heavy loads, break up dense materials, and pull stubborn nails.	MILD STEEL 22mm x 4 ft	FT7485	20 nos
			MILD STEEL 22mm x 3 ft	QA2599	20 nos
	MANVETTI	A manvetti (also called a mammoty) is a traditional hand tool used in India and Sri Lanka that combines the functions of a heavy hoe, spade, and mattock. It features a wide iron or steel blade set at an angle to a wooden handle.	IRON SPADE WITH WOODEN HANDLE	SD8574	20 nos
	SHOVEL	A shovel is a highly versatile tool equipped with a concave, curved blade primarily used for digging, scooping, lifting, and transferring bulk materials like soil, sand, gravel, coal, and snow.	FIBRE HANDLE	AA2251	10 nos
			WOODEN HANDLE	LM4912	10 nos
	ALUMINIUM PROFILE STRIGHT EDGE	An aluminium profile straight edge is a lightweight, rigid tool with a precise linear face used across construction, woodworking, and metalworking for measuring, guiding cuts, and checking surface flatness.	63 x 38 x 12ft thickness - 0.7mm	AV2415	200 nos
	SPONGE	A pink construction sponge is used on and around construction sites for general surface cleaning, wiping down tiles, and removing excess cement, grout, or plaster residue.	HEAVY	AA2511	20 nos
			MEDIUM	SD1224	20 nos

HAND ELECTRICAL VIBRATOR CONCRETE

IMAGE	ITEM NAME	SIZE	BRAND NAME	PART NO	M.O.Q
	HAND ELECTRICAL VIBRATOR CONCRETE	35mm x 3 mtr	AKARI	GH1991	2 nos
		HOSE - 35mm	POLY MAK		
		NEEDLE SIZE - 3 MTR	HANDY		

NEEDLE VIBRATOR

IMAGE	ITEM NAME	USAGE	SIZE	PART NO	M.O.Q
	NEEDLE VIBRATOR	A needle vibrator—also called an internal, poker, or immersion vibrator—is a construction tool used to remove trapped air bubbles and pack fresh concrete tightly. This process makes concrete dense, solid, and strong.	25mm x 6 mtr	DS8745	5 nos
			40mm x 6 mtr	FC5291	
			60mm x 6 mtr	RD4875	